

RASTER CHART DISPLAY SYSTEM FIELD TEST

IDENTIFICATION INFORMATION

| DENTINICATION | |
|----------------------|--|
| Name of Vessel | NON JONES ACT & PORTIGN FLAG TO BALTIMO |
| Type, Tons, Length | VARIOUS - OVER 300 G.T. AS A MINIMUM |
| Company Name | ASSOC. OF MARILAND PILOTS |
| Contact Name | |
| Address | |
| | |
| | |
| Telephone | |
| E-Mail | |
| | |
| DACTED CHADT T | OUTDMENT IN USE DUDING TEST |
| KASIER CHARI E | QUIPMENT IN USE DURING TEST |
| Navigation Software | MARINER |
| Version | 2.04 |
| Manufacturer | IN FORAV |
| Computer | TOSHBA 610 |
| Monitor Size | 10' |
| Monitor Resolution | 400×600 |
| Raster Data Brand | NOAR |
| | |
| | |
| OTHER EQUIPME | NT IN USE DURING TEST |
| T I' STEND | The level of the second of the second of the second or s |
| | whether the equipment is integrated with the raster chart navigation at the manufacturer and model. |
| software. Then indic | ate the manufacturer and model. |
| GPS (Y/N) | Y STAPLINE |
| DGPS (Y/N) | Y STARLINK |
| Radar (Y/N) | ~ |
| ARPA (Y/N) | N |
| LORAN C (Y/N) | N |
| Speed Log (Y/N) | N |
| Compass (Y/N) | N |
| Other (Y/N) | A / |

| perator's Name | | | | | |
|--|--|---|--|-------------------|------------|
| perator's Rank | PILOT | | | | |
| CDS Experience | | | | | |
| ears Experience | | | | | |
| • | helmsman | / | | | |
| | navigation/chart work | / | | | |
| | officer of the watch | 9 YEAR | <u>es</u> | | |
| | Captain/Master of a vessel_ | | | | |
| | pilot | 2.5 Y | DARS | | |
| | other (specify) | | | | |
| EST AREA | | | | | |
| valuated: | routes or general geographic | | | | ng used an |
| ~ ~ ~ ~ ~ ~ | APEAKE BAY | FROM | | -DEL | ODICO |
| CHE2 | | _ | | | |
| AVIGATION I | ENVIRONMENT | 30V TY | | CAPE | HENDY, |
| NAVIGATION I | D CAMPAL 3 | ce being refl | ected in | this test rep | |
| SAVIGATION I | ENVIRONMENT centage of the total experience RCDS was being used in the second control of the total experience and the to | ce being refl he following | ected in | this test rep | |
| AVIGATION In the state of the s | ENVIRONMENT centage of the total experience RCDS was being used in the large | ce being refl | ected in g situatio | this test rep | |
| AVIGATION Instimate as a percomount of time the Open Water Passa Coastal Transit | ENVIRONMENT centage of the total experience RCDS was being used in the case of the control of t | ce being refl he following Heavy Tr Medium | ected in g situatio affic Traffic | this test repons. | port, the |
| AVIGATION I stimate as a pero mount of time the open Water Passa coastal Transit (arbor & Approachannels/Constrict | ENVIRONMENT centage of the total experience RCDS was being used in the control of the control o | ce being refl he following Heavy Tr Medium | ected in g situatio affic Traffic | this test repons. | port, the |
| stimate as a peromount of time the open Water Passa coastal Transit larbor & Approachannels/Constriction | ENVIRONMENT Entage of the total experience RCDS was being used in the control of | ce being refle he following Heavy Tr Medium Light or M | ected in g situation affic Traffic No Traff | this test repons. | ort, the |
| stimate as a peromount of time the Open Water Passa Coastal Transit Harbor & Approachannels/Constriction | ENVIRONMENT Entage of the total experience age Character Solution in the second solution | te being reflected the following Heavy Trans Medium Light or Medium Day Navi | ected in g situation affic Traffic No Traffic | this test repons. | oort, the |
| stimate as a peromount of time the Open Water Passa Coastal Transit Harbor & Approachannels/Constriction | ENVIRONMENT centage of the total experience RCDS was being used in the control of the control o | ce being refle he following Heavy Tr Medium Light or M | ected in g situation affic Traffic No Traffic | this test repons. | oort, the |
| stimate as a peromount of time the coastal Transit (arbor & Approachannels/Constrict) ocking (ther (specify) | ENVIRONMENT Entage of the total experience are RCDS was being used in the sage of the total experience are so total 100% | te being reflected to the following Heavy Transfer Medium Light or Medium Day Navi | ected in g situation affic Traffic No Traffic gation vigation | this test repons. | 100% |
| AVIGATION Institute as a percommount of time the Open Water Passa Coastal Transit Itarbor & Approachannels/Constriction (Specify) Excellent Visibility | ENVIRONMENT Entage of the total experience is RCDS was being used in the result of th | ce being reflected to the following Heavy Transfer Medium Light or Medium Day Navi Night Navi | ected in g situation affic Traffic No Traffic igation vigation | this test repons. | ort, the |
| istimate as a peromount of time the Open Water Passa Coastal Transit Harbor & Approachannels/Constrict Oocking Other (specify) | ENVIRONMENT Sentage of the total experience RCDS was being used in the end of the experience age of the total experience age of the experience of the exper | ce being reflete following Heavy Tra Medium Light or M Day Navi Night Navi Quiet Sea | ected in g situation affic Traffic No Traffic gation vigation | this test repons. | ort, the |
| SAVIGATION In Estimate as a percomount of time the Open Water Passa Coastal Transit | ENVIRONMENT Entage of the total experience is RCDS was being used in the result of th | ce being reflected to the following Heavy Transfer Medium Light or Medium Day Navi Night Navi | ected in g situation affic Traffic No Traffic Igation vigation as as as Seas | this test repons. | 100% |

(example answer: Approx. 8 months over 1 year with the rest being in-port periods.)

3 yrs.

Over How Long a Period?

EVALUATION SCALE (use for all questions)

| | | DESCRIPTORS | | | |
|-------------------|--------------------------------|------------------------------|------------------------------|------------------------|----------------------------|
| | | & SCORE | | | |
| does not apply | much worse than paper chart | 200 0cw bat worse | comparable to paper chart | somewhat better | superior to paper chart |
| 0 | 1 | 2 | 3 | 4 | 5 |
| cannot comment | significant problem | minor problem | no problem | minor advantage | significant advantage |
| 0 | 1 | 2 | 3 | 4 | 5 |
| did not observe | hard to use | moderately difficult use | adequate case of use | moderately easy to use | easy to use |
| 0 | 1 | 2 | 3 | 4 | 5 |
| did not use | inadequate | marginal | acceptable | good | excellent |
| 0 | 1 | 2 | 3 | 4 | 5 |

EVALUATION SCALE (use for all questions)

1. RCDS AS A VOYAGE PLANNING TOOL

If using an RCDS for voyage planning is about the same as using a paper chart, then score the item in the middle of the range at "3".

| Ref # | Scores (1-5 or 0) | Questions (compared to paper chart performance where appropriate) |
|----------|-------------------|--|
| | | How would you evaluate doing the following navigation functions with a raster chart compared to doing the comparable functions on a paper chart? |
| 1.1 | . 5 | - entering routes, the adequacy of the number that could be entered? |
| 1.2 | 5 | - entering waypoints and if an adequate number were allowed? |
| 1.3 | 5 | - adding waypoints to a route after entering or reloading it? |
| 1.4 | SOUND SOUND SO | - deleting waypoints from a route? |
| 1.5 | 5 | - changing the position of a waypoint? |
| 1.6 | 5 | - changing the order of waypoints in a route? |
| 1.7 | 5 | - entering an adequate number of alternative routes? |
| 1.8 | 5 | - distinguishing alternate routes from the principal one? |
| 1.9 | 5 | - displaying routes over other charts? |
| 1.10 | S | - reloading previously planned routes for further planning? |
| 1.11 | 5 | - dropping or inserting waypoints in real-time as you went? |
| 1.12 | 5 | - loading load tracks actually sailed for use in planning? |
| 1.13 | 4 | - specifying a cross-track error to trigger an automatic alarm? |
| 1.14 | 5 | - entering and annotating marks (operator-entered points)? |
| 1.15 | 5 | - editing and/or deleting marks? |
| 1.16 | 5 | - entering points, lines or areas which would activate an alarm such as guard zones, boundaries, range circles, etc.? |
| 1.17 | 0 | - entering notes that you wanted to enter? |
| 1.18 | 5 | - preparing a printed a voyage plan, a get home chartlet, GPS waypoints? |

Q

| ſ | | | Remember, you are to evaluate doing the following navigation |
|---|------|---------------|---|
| 1 | | | functions using a raster chart compared to doing the comparable |
| - | 1 | | functions on a paper chart. |
| Γ | 1.19 | 5 | - calculate the distance of your planned trip? |
| | 1.20 | \$ | - calculate bearing and distance to waypoints? |
| | 1.21 | <u>S</u> | - estimate transit time(s)? |
| | 1.22 | <u>5</u> 3 | - recalculate time along track if you moved waypoints? |
| Ţ | 1.23 | 3 | - readily display all the charts you needed? |
| | 1.24 | 3 | - move around the chart (pan and zoom) while planning? |
| 1 | 1.25 | 3 | - display previously entered data over any chart you wanted? |
| ļ | 1.26 | | - make the planning assessments and judgements that you would |
| I | | 3 | make with a paper chart? |
| ţ | 1.27 | 3 | How was the planning workload compared to a paper chart? |
| Ì | | | Score the following questions without comparing to a paper chart. |
| Ì | 1.28 | 3 | How was the legibility of the chart image during your planning session? |
| Ì | 1.29 | | How was the impact on planning of seeing only a portion of a chart on |
| | | 2_ | the screen at one time? |
| . | 1.30 | 3 | How was the impact of chart notes not always being visible? |
| ı | 1.31 | 3 | How was the impact of some charts being on different map projections? |
| | 1.32 | | How would you compare planning using a raster chart system with |
| | | 4 | planning using manual means and a paper chart? |
| Ì | 1.33 | | Were there any fundamental limitations to planning using raster charts |
| 1 | | | that were not just a limit of your software? What were they? |
| ı | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 1 | |

alet of the verkload is

2. RCDS FOR VOYAGE MONITORING

If using an RCDS for voyage monitoring is about the same as a paper chart, then score the item in the middle of the range at "3".

| Ref # | Scores (1-5 or 0) | Questions (compared to paper chart performance where appropriate) |
|----------|----------------------|---|
| | | How would you evaluate doing the following navigation functions using a raster chart compared to doing the comparable functions on a paper chart? |
| 2.1 | 5 | - displaying clearly all chart and voyage monitoring information? |
| 2.2 | 5 | - add or remove mariner-added information? |
| 2.3 | 3 | - display, hide or query mariner-added information? |

| | | Remember, you are to evaluate doing the following navigation |
|------|---------------|--|
| | | functions using a raster chart compared to doing the comparable |
| | | functions on a paper chart. |
| 2.4 | 2_ | - determine if a larger scale chart covers the area you are navigating? |
| 2.5 | 3 | - distinguish the ship's track and mariner's notes on the image? |
| 2.6 | 2 3 S | - showing your position accurately on the chart in real-time? |
| 2.7 | () | - performing dead reckoning if your positioning system failed? |
| 2.8 | 5 | - displaying a planned route? |
| 2.9 | 5 | - displaying an alternate route in addition to the selected one? |
| 2.10 | 5 5 | - distinguishing the alternative route from the selected one? |
| 2.11 | 6 | - modifying the selected route? |
| 2.13 | S | = first ext diantage that the first extra conjugation of the conjugati |
| 2.14 | 4 | - look-ahead on the route during route monitoring? |
| 2.15 | 4 | - achieve an adequate overview of the voyage and route? |
| 2.16 | | - transfer information you entered other charts? |
| 2.17 | 3 | - view chart notes which were located off-screen? |
| 2.18 | 3 | - create event marks at any time and annotate them? |
| 2.19 | 0 3 3 5 5 5 5 | - estimating of arrival time compared to a paper chart? |
| 2.20 | 5 | - display the coordinates of any point on demand? |
| 2.21 | 5 | - enter coordinates and then display that position on demand? |
| 2.22 | 5 | - determine your lat./long. at any time? |
| 2,23 | 5 | - dynamically measure range and bearing to charted objects? |
| 2.24 | | - monitor voyage parameters (speed over ground, course over |
| 2.25 | 5 | - switch from chart to chart manually in a convenient manner? |
| 2.23 | <u> </u> | - SWILOIT HOUR CHARLE TO CREAT HEALTH ALL SOLL |
| | | Score the following questions without comparing to a paper chart. |
| 2.26 | 3 | The adequacy of the screen size? |
| 2.27 | 335 | Screen "clutter" compared to a paper chart during voyage monitoring? |
| 2.28 | 5 | The night colors for comfortable and legible viewing? |
| 2.29 | | Did the ship and route automatically appear whenever the display |
| | 5 | covered that area? |
| 2.30 | | Did the chart automatically pan as the ship reached an appropriate |
| 1 | | distance from the edge of the screen? |
| 2.31 | | View an area of the chart that did not contain the ship and have route |
| l | 5 | monitoring/positioning continue in the background? |
| 2.32 | 3 | By a single action, show chart scale, datum, and depth and height units? |
| 2.33 | 3 | Determine range and bearing to items that were off-screen? |
| 2.34 | 3 | Restore the ship-centered display with a single action? |
| 2.35 | 4 | Did waypoint arrival alarms work as you wished? |
| 2.36 | 4 | Did boundary crossing alarms work as you wished? |
| 2.37 | 3 | Were there frequent false alarms? |
| 2.38 | | Did an alarm sound when you exceeded the cross track error limit? |

| | | AL All mine questions without | |
|----------|----------|---|-----------|
| \ | | Remember, you are scoring the following questions without | |
| | | comparison to a paper chart. | |
| 2.39 | Λ | Did an alarm sound if the ship, within a mariner-specified time or | |
| | 4 | distance, was to reach a critical point on the planned route? | |
| 2.40 | 5_ | Did your system give an indication if positioning system input was lost? | |
| 2.41 | | If 2 positioning systems were used simultaneously, did the system | |
| | 0 | identify discrepancies between the two? | |
| 2,42 | 5 | Was route monitoring carried out in a simple and reliable manner? | |
| 2.43 | | In restricted waterways, how was the RCDS as a voyage monitoring tool | |
| | 3 | compared to the paper chart? | • |
| 2,44 | | In congested waterway situations, how was the RCDS as a voyage | |
| | 3 | monitoring tool compared to the paper chart? | |
| 2.45 | | Could time-labels along the ships track be displayed easily at a range of | • |
| | 0 | intervals between 1 and 120 minutes? | |
| 2.46 | 50 | Were you always able to navigate north up? | |
| 2.47 | | If course-up navigation was offered, how was it compared to using a | |
| 1 | 0 | paper chart? | |
| 2.48 | | How would you compare voyage monitoring using a raster chart system | |
| | 5 | with voyage monitoring using a paper chart? | |
| 2.49 | SA | How was the voyage monitoring workload compared to a paper chart? | |
| 2,50 | | How would you rate using RCDS as the primary means of navigation | |
| | 3 | compared to paper charts? | |
| 2.51 | | How would you evaluate the impact on the safety of navigation when | |
| | 3 | using an RCDS as opposed to a paper chart? | |
| 2.52 | <u> </u> | Are there circumstances where you would not use RCDS for voyage | |
| | | maniforing? When? | |
| | | FOR SEA PASSAGE FROM DEPARTURE | |
| | | FOR SEA PASSAGE FROM DEPARTURE TO ARRIVAL RCDS VOYACE MON MORING | |
| 1 | | IS FINE. | |
| | | 13 CINC TO COM VIN | e ume |
| | | Were there any fundamental limitations to voyage monitoring with | tt, 0/ _ |
| 2.53 | | Were there any fundamental limitations to voyage monitoring with | |
| 1 | | raster charts that were not just a limit of your software? What were | |
| | 1 | they? | |
| 1 | } | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | • | |

2.51 A FULL SIZE CHART IS HARD TO BEAT. IN A MARCINAL SITUATION I WANT A CURT FRONT OF ME AND NOT A MOUSE.

3. RCDS FOR VOYAGE RECORDING

| Ref # | Scores (1-5 or 0) | Questions (compared to paper chart performance where appropriate) |
|----------|----------------------|--|
| 3.1 | A | Could you record sufficient information to determine the ship's past track, time, position, heading and speed? |
| 3.2 | 3 | Were you able to add log entries manually? |
| 3.3 | 0 | Could you automatically record the official data used (RNC, edition, date and update history)? |
| 3.4 | 3 | Were you able to gather an adequate record of the voyage compared to |
| 3.5 | 3 | Could you record the entire course made good with time marks at |
| 3.6 | 4 | Were you able to save at least the previous 12 hours of voyage track? |

4. OTHER

| | | Overtions |
|------|------------|--|
| Ref | Scores | Questions |
| # | (1-5 or 0) | (compared to paper chart performance where appropriate) |
| 4.1 | | Were the accuracy of all calculations independent of the characteristics |
| ''- | | of the display and consistent with the RNC accuracy? |
| 4.2 | | Were bearings and distances measured on the display as accurate as |
| | 6 | that afforded by the resolution of the display? |
| 4.3 | | Could you make manual updates to the chart that were distinguishable |
| | 3 1/2 | from the original chart without affecting the legibility of the chart? |
| 4.4 | | Did the RCDS degrade the performance of any equipment that was |
| | 3 🙇 | connected to it? |
| 4.5 | 5 | Once learned, how user-friendly would you judge the RCDS to be? |
| 4.6 | 0 | Did connection to other equipment degrade RCDS performance? |
| 4.7 | 5 | Did your system give adequate indication of system malfunction? |
| 4.8 | | Were you able to execute in a convenient and timely manner all route |
| ' | 1 | planning, route monitoring and positioning performed on a paper chart? |
| 4.9 | | How much would you say the RCDS reduced the navigational |
| 1 | 3 | workload compared to using a paper chart? |
| 4.10 | | Summary Evaluation: Considering all of your experience and the |
| | 2 | questions asked above, how would you score the following statement? |
| | 3 | |
| | | "RCDS with adequate back-up arrangements used together with an |
| 1 | | appropriate folio of up-to-date paper charts may be accepted as |
| 1 | | complying with the chart carriage requirements of SOLAS." |

Make any other comments you feel are relevant to the use of RCDS as the primary means of navigation on the back of this page.

THE SOFTWARE TRISKS YOU T WANT 15 BE VERY 45 15miT REMLY PRENDY # 10 ACLOMPUSH OD THE MAVE BECAUSE YOU SALL TO 19 NO DEDUCTION 12 WORK ent larrance ... work PAPER. MARKES RCAS WORK